

Premium Range

HOMOGENEOUS VINYL FLOORS

SUPPORTING THE SPACES THAT MATTER

Tarkett's Premium Range is a homogeneous vinyl flooring solution, designed for schools, public buildings, healthcare facilities and care homes that nurture and protect us throughout our lives.

As we pass through these busy spaces, the Premium Range serves as an enduring and trustworthy partner – striving for reliability underfoot and improved hygiene within the space. Highly durable yet simple to clean and maintain, it's a floor that asks little, but gives much.

Ever dependable, always reliable. Supporting the spaces that matter.



ECLIPSE PREMIUM SPIRIT 21020 683
ECLIPSE PREMIUM SPIRIT 21020 728





ECLIPSE PREMIUM CLASSIC 21020 097
ECLIPSE PREMIUM SPIRIT 21020 969
ECLIPSE PREMIUM SPIRIT 21020 970

Surface Performance

The Premium Range is built to handle whatever the day brings.

Its new Premium Pro surface treatment offers a strong layer of surface protection for high-traffic areas, allowing for easier maintenance and an improved level of resistance to stains, scratches and chemicals.

When it comes to installation, the Premium Range is a highly flexible solution that gives perfect coving results, ensuring overall hygiene and easy maintenance.

Supporting the spaces that matter, every single day.

Colour and Design

The Premium Range boasts an extensive selection of 86 modern hues, blending rich neutrals and vibrant contemporary shades within its two collections: Eclipse Premium and Primo Premium.

Eclipse Premium is available in 56 colours across two design variations, Classic and Spirit. Classic combines light and dark shades to create high-contrast impact, while Spirit provides a subtler low-contrast design in a palette of warm and cold neutrals and fresh hues. Primo Premium, in its spectrum of 30 easy-to-combine shades, uses neutral-coloured accents, ideal for high traffic areas.

Each design is infused with non-directional patterns so you can skillfully guide the emotional temperature and functionality of each space — whatever its use.

Our uniquely-designed multi-coloured welding rods are available in all 86 colours from the range, enhancing the many design possibilities. Whether your space requires pattern, colour blocking, or wayfinding between zones, the Premium Range's superior welding rods provide a seamless appearance for a perfect flooring finish, and create an impervious surface for maximum hygiene and ease of maintenance.





Multifunctional Design

The Premium Range integrates design and functionality, allowing you to create attractive, contemporary spaces that never compromise on performance — whatever the needs of your space.

Our multifunctional options, Primo Safe.T and Primo SD, are each engineered to meet specific safety and technical demands while maintaining a cohesive aesthetic within the broader range.

In 8 core colours, co-ordinated with the overall Premium Range, our multifunctional options provide acoustic solutions for impact sound reduction, ESD solutions for static dissipation, and enhanced slip resistance options. Meeting the needs of any room, however demanding.



ECLIPSE PREMIUM CLASSIC 21020 055
PRIMO PREMIUM 21010 626
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 786
ECLIPSE PREMIUM SPIRIT 21020 963

People and Planet

We believe design and technical performance should never come at the expense of human or planetary wellbeing.

That's why the Premium Range has been designed to offer optimal indoor air quality, with ultra-low VOC emission levels below 10 µg/m³ — beating the world's most stringent standards. The range is also FloorScore® Certified and phthalate-free, contributing to a healthier space for everyone who uses it.

The Premium Range is produced in Europe and contains on average 25% recycled material, including post-use flooring. At the end of its life, it can be returned to our factory in Ronneby, Sweden, where the flooring is granulated, washed, dried and safely recycled into the next generation of flooring — saving resources and closing the loop.

≤ 10 µg/m³ OPTIMAL INDOOR AIR QUALITY

PHTHALATE FREE

floor score

ECLIPSE PREMIUM SPIRIT 21020 687
ECLIPSE PREMIUM SPIRIT 21020 728
PRIMO PREMIUM 21010 661
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 786





The Premium Range

The Premium Range combines functionality, design and environmental performance. Apart from Tarkett's iQ range, it boasts the market's largest homogeneous vinyl offering in non-directional patterns.

The Premium Range's palette of 86 colours across Eclipse Premium and Primo Premium is a feast for the eyes, where joyful hues enliven the senses and subtle tones whisper harmony and peace.

Designs in plain and contrast colour combinations allow for mix and match solutions, creating unique atmospheres and dynamic styles throughout your environment.

With enhanced durability and simplified maintenance, the Premium Range is an ideal choice for high footfall settings such as schools, public buildings, healthcare facilities and care homes.

PRIMO PREMIUM 21010 637
ECLIPSE SPIRIT 21020 979



Premium: At a Glance

SURFACE PERFORMANCE

- Premium Pro surface treatment increases durability, resistance to heavy traffic and ease of cleaning
- Improved stain resistance
- High Traffic Resistance with residual indentation 0.03 mm [1]
- Impenetrable heat welding joints; when stretched, resist over 400 N force per 50 mm (ISO 16906)
- Highly flexible solutions for perfect coving results, ensuring easy and improved maintenance, and overall hygiene

COLOUR AND DESIGN

- 86 colours in 3 different designs
- Unique multicoloured welding rods for a realistic and seamless look when installed
- Light fastness ≥7 for the standard range

MULTIFUNCTIONAL DESIGN

- Static dissipative with Primo SD in 8 matching colours
- Enhanced slip resistance with Primo Safe.T in 8 matching colours
- Acoustic offer for 8 references with Primo Premium

PEOPLE & PLANET

- Ultra-low VOC emissions below 10 µg/m^3 [2]
- FloorScore® Certified
- 100% Phthalate-free
- ISO Class 4 cleanroom certified
- Does not contain biocides, and does not favour bacteria growth
- Fulfills the highest requirement for surface decontamination (ISO 8690) with an Excellent rating
- Made in Europe

1 Best measured value
2 After 28 days



ECLIPSE PREMIUM CLASSIC 21020 053
ECLIPSE PREMIUM CLASSIC 21020 054



PRIMO PREMIUM 21010 637
ECLIPSE SPIRIT 21020 979



Beauty of Circularity

At Tarkett, our approach to circularity focuses on three key areas: design, materials and circular journey. For us, the Beauty of Circularity is about the beauty of the reused materials that go into our products, the innovative manufacturing processes we implement, and the knowledge that we're actively cutting down on waste and greenhouse gas emissions.



ECLIPSE PREMIUM CLASSIC 21020 055
PRIMO PREMIUM 21010 626
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 786

Circular Carbon Footprint by Tarkett



To keep track of the carbon generated and saved over a product's life cycle, we calculate the Circular Carbon Footprint of our homogeneous vinyl ranges. Using independently verified data from the relevant Environmental Product Declaration (EPD), we aim to foster dialogue about the importance of circularity and the future carbon benefits that effective recycling can deliver.

Circular Carbon Footprint: Based on Environmental Product Declaration (EPD) EPD-IES-0001504:003, externally verified by LCA Support. Based on the total carbon footprint (Modules A-D), where Module D represents the future recycling potential with a closed loop recycling scenario, facilitated through Tarkett's Restart® recycling and take-back programme. For more information: premiumrange.tarkett.com

Sustainability Credentials

Cradle-to-Gate Carbon Footprint: 3.78 kg CO_2 eq/m^2

Circular Carbon Footprint: 4.80 kg CO_2 eq/m^2 [3]

25% recycled content on average, including post-consumer flooring

100% recyclable

Closing the loop with Tarkett's ReStart® programme

3 Circular Carbon Footprint: Based on Environmental Product Declaration (EPD) EPD-IES-0001504:003, externally verified by LCA Support. Based on the total carbon footprint (Modules A-D), where Module D represents the future recycling potential with a closed loop recycling scenario, facilitated through Tarkett's Restart® recycling and take-back programme. For more information: premiumrange.tarkett.com



HO Premium Swatches

ECLIPSE PREMIUM SPIRIT


21020 662
NCS S 2040-R40B / LRV 31%


21020 684
NCS S 2070-Y80R / LRV 17%


21020 683
NCS S 1015-R / LRV 61%


21020 687
NCS S 1060-Y50R / LRV 39%


21020 728
NCS S 1030-Y50R / LRV 56%


21020 732
NCS S 1040-Y20R / LRV 60%


21020 786
NCS S 1020-Y20R / LRV 65%


21020 510
NCS S 4030-R30B / LRV 18%


21020 733
NCS S 1030-R80B / LRV 51%


21020 975
NCS S 2010-G30Y / LRV 53%


21020 731
NCS S 1050-G50Y / LRV 56%


21020 978
NCS S 2020-R80B / LRV 43%


21020 979
NCS S 3030-R80B / LRV 27%


21020 774
NCS S 2020-B10G / LRV 44%


21020 729
NCS S 2050-G20Y / LRV 34%


21020 734
NCS S 5020-R80B / LRV 17%


21020 736
NCS S 4030-B30G / LRV 22%

ECLIPSE PREMIUM SPIRIT

21020 963
NCS S 1002-R / LRV 72%


21020 964
NCS S 2002-R50B / LRV 56%


21020 709
NCS S 3502-Y / LRV 38%


21020 701
NCS S 2000-N / LRV 57%


21020 970
NCS S 2005-Y60R / LRV 54%


21020 969
NCS S 1505-Y60R / LRV 62%


21020 455
NCS S 2020-Y30R / LRV 50%

21020 972
NCS S 1005-Y40R / LRV 71%


21020 967
NCS S 4000-N / LRV 34%


21020 965
NCS S 3000-N / LRV 45%


21020 988
NCS S 4005-Y50R / LRV 31%


21020 973
NCS S 2005-Y40R / LRV 55%


21020 968
NCS S 6502-B / LRV 15%


21020 717
NCS S 4500-N / LRV 30%


21020 720
NCS S 5005-Y50R / LRV 24%


21020 427
NCS S 4010-Y30R / LRV 32%


21020 707
NCS S 8502-B / LRV 6%


21020 708
NCS S 6502-Y / LRV 16%


21020 400
NCS S 6502-Y50R / LRV 15%


21020 459
NCS S 4020-Y50R / LRV 27%

HO Premium Swatches

ECLIPSE PREMIUM CLASSIC


21020 059
NCS S 1515-Y60R / LRV 56%


21020 055
NCS S 1010-Y30R / LRV 69%


21020 056
NCS S 2020-Y30R / LRV 50%


21020 036
NCS S 2005-Y40R / LRV 55%


21020 061
NCS S 1502-Y50R / LRV 64%


21020 038
NCS S 1002-R / LRV 72%


21020 039
NCS S 2002-R50B / LRV 56%


21020 048
NCS S 2010-R80B / LRV 50%


21020 050
NCS S 2005-B20G / LRV 55%


21020 026
NCS S 2500-N / LRV 50%


21020 097
NCS S 2502-R50B / LRV 49%


21020 067
NCS S 3020-R80B / LRV 32%


21020 053
NCS S 2005-G20Y / LRV 55%


21020 040
NCS S 3500-N / LRV 39%


21020 035
NCS S 4000-N / LRV 34%


21020 049
NCS S 3030-R80B / LRV 27%


21020 054
NCS S 3030-G10Y / LRV 33%


21020 062
NCS S 5502-Y / LRV 22%


21020 012
NCS S 6502-B / LRV 15%

PRIMO SAFE.T


21013 790
NCS S 1002-R / LRV 72%


21013 791
NCS S 2002-R50B / LRV 56%


21013 800
NCS S 2005-Y40R / LRV 55%


21013 794
NCS S 4000-N / LRV 34%


21013 795
NCS S 6502-B / LRV 15%


21013 644
NCS S 2020-Y30R / LRV 50%


21013 642
NCS S 3030-R80B / LRV 27%


21013 643
NCS S 3030-G10Y / LRV 33%

Ⓐ REFERENCES AVAILABLE IN PRIMO ACOUSTIC

PRIMO SD


21012 561
NCS S 2002-R50B / LRV 56%


21012 564
NCS S 1505-Y60R / LRV 62%


21012 565
NCS S 2005-Y40R / LRV 55%


21012 562
NCS S 4000-N / LRV 34%


21012 563
NCS S 6502-B / LRV 15%


21012 647
NCS S 2020-Y30R / LRV 50%


21012 569
NCS S 3030-R80B / LRV 27%


21012 646
NCS S 3030-G10Y / LRV 33%

HO Premium Swatches

PRIMO PREMIUM



21010 635
NCS S 2020-R40B / LRV 44%



21010 650
NCS S 1030-Y60R / LRV 53%



21010 661
NCS S 1020-Y30R / LRV 65%



21010 744
NCS S 2030-G50Y / LRV 48%



21010 637
NCS S 2020-R80B / LRV 43%



21010 665 Ⓐ21185 665
NCS S 3030-R80B / LRV 27%



21010 741
NCS S 2020-B10G / LRV 44%



21010 743 Ⓐ21185 743
NCS S 3030-G10Y / LRV 33%



21010 740
NCS S 4030-R80B / LRV 19%



21010 742
NCS S 4020-B30G / LRV 25%

PRIMO PREMIUM



21010 651 Ⓐ21185 651
NCS S 1002-R / LRV 72%



21010 634
NCS S 4005-Y20R / LRV 33%



21010 655
NCS S 3005-Y20R / LRV 42%



21010 626
NCS S 2010-Y30R / LRV 56%



21010 670 Ⓐ21185 670
NCS S 2002-R50B / LRV 56%



21010 672
NCS S 2002-Y50R / LRV 56%



21010 675 Ⓐ21185 675
NCS S 1505-Y60R / LRV 62%



21010 678
NCS S 1005-Y40R / LRV 71%



21010 673
NCS S 4502-B / LRV 29%



21010 652
NCS S 2500-N / LRV 50%



21010 657
NCS S 2005-Y50R / LRV 54%



21010 658 Ⓐ21185 658
NCS S 2005-Y40R / LRV 55%



21010 674 Ⓐ21185 674
NCS S 6502-B / LRV 15%



21010 671 Ⓐ21185 671
NCS S 4000-N / LRV 34%



21010 625
NCS S 4005-Y50R / LRV 31%



21010 659
NCS S 3010-Y40R / LRV 40%



21010 630
NCS S 8502-B / LRV 6%



21010 656
NCS S 6502-Y / LRV 16%



21010 629
NCS S 5005-Y50R / LRV 24%



21010 628
NCS S 3030-Y50R / LRV 32%

Ⓐ REFERENCES AVAILABLE IN PRIMO ACOUSTIC



ECLIPSE CLASSIC 21020 097
ECLIPSE SPIRIT 21020 969

FRONT COVER
PRIMO PREMIUM 21010 626
ECLIPSE PREMIUM SPIRIT 21020 732
ECLIPSE PREMIUM SPIRIT 21020 963

PAGE 5
ECLIPSE PREMIUM SPIRIT 21020 459
ECLIPSE PREMIUM SPIRIT 21020 683
ECLIPSE PREMIUM SPIRIT 21020 687
PRIMO PREMIUM 21010 628
ECLIPSE PREMIUM SPIRIT 21020 728
ECLIPSE PREMIUM CLASSIC 21020 059

PAGE 10
ECLIPSE PREMIUM SPIRIT 21020 979
ECLIPSE PREMIUM SPIRIT 21020 733
ECLIPSE PREMIUM CLASSIC 21020 067
PRIMO PREMIUM 21010 637
PRIMO PREMIUM 21010 665
ECLIPSE PREMIUM SPIRIT 21020 734

PAGE 16
PRIMO PREMIUM 21010 630
ECLIPSE PREMIUM CLASSIC 21020 012
ECLIPSE PREMIUM SPIRIT 21020 510
ECLIPSE PREMIUM SPIRIT 21020 662
PRIMO PREMIUM 21010 635
ECLIPSE PREMIUM CLASSIC 21020 035

About Tarkett

With a history of more than 140 years, Tarkett is a worldwide leader in innovative and sustainable flooring and sports surface solutions, generating net sales of €3.3 billion in 2025. The Group has 12,000 employees, 25 R&D centers, 11 recycling centers, and 33 production sites. Tarkett creates and manufactures solutions for hospitals, schools, housing, hotels, offices, stores, and sports fields, serving customers in over 100 countries. To build “The Way to Better Floors,” the Group is committed to circular economy and sustainability, in line with its Tarkett Human-Conscious Design® approach.

www.tarkett-group.com

© Tarkett, September 2026

Descriptions, colours and specifications are subject to change without notice. Tarkett is not responsible for typographical/photographical errors. Actual product may differ from illustration. All rights reserved. Reproduction in whole or in part is prohibited without the prior written consent of the copyright owner. The information presented in this document does not form part of any quotation or contract, is believed to be accurate and reliable and may be changed without notice. No liability will be accepted by the publisher for any consequence of its use. Publication thereof does not convey nor imply any license under patent- or other industrial or intellectual property rights. In case of doubt or differences of interpretation, the English version shall prevail over all other language versions.